



# Analysis and build modes

## Proposal:

- Remove any cross over from build mode and analysis mode
- Separate functionality into two distinct modules (e.g. templates/builder/ templates/analysis/ etc)



# Data sources



# Toaster database

orm_layer [table]	
vcs_web_url	VARCHAR(200)
name	VARCHAR(100) NOT NULL
vcs_web_tree_base_url	VARCHAR(200)
description	TEXT
vcs_web_file_base_url	VARCHAR(200)
layer_source_id	INTEGER
layer_index_url	VARCHAR(200) NOT NULL
up_date	DATETIME
local_path	VARCHAR(255)
summary	TEXT
up_id	INTEGER
id	INTEGER
vcs_url	VARCHAR(200)

orm_layer_version [table]	
build_id	INTEGER
layer_id	INTEGER NOT NULL
layer_source_id	INTEGER
up_branch_id	INTEGER
priority	INTEGER NOT NULL
up_date	DATETIME
branch	VARCHAR(80) NOT NULL
dirpath	VARCHAR(255)
*commit*	VARCHAR(100) NOT NULL
project_id	INTEGER
up_id	INTEGER
id	INTEGER

orm_machine [table]	
id	INTEGER NOT NULL
layer_source_id	INTEGER
up_id	INTEGER
up_date	DATETIME
layer_version_id	INTEGER NOT NULL
name	VARCHAR(255) NOT NULL
description	VARCHAR(255) NOT NULL

orm_layerversiondependency [table]	
id	INTEGER NOT NULL
layer_source_id	INTEGER
up_id	INTEGER
layer_version_id	INTEGER NOT NULL
depends_on_id	INTEGER NOT NULL

orm_build [table]	
build_name	VARCHAR(100) NOT NULL
outcome	INTEGER NOT NULL
completed_on	DATETIME NOT NULL
warnings_no	INTEGER NOT NULL
distro_version	VARCHAR(100) NOT NULL
started_on	DATETIME NOT NULL

Consumer:  
Toaster  
Analysis mode


Consumer:  
Toaster  
Build mode

orm_recipe [table]	
description	TEXT NOT NULL
license	VARCHAR(200) NOT NULL
bugtracker	VARCHAR(200) NOT NULL
section	VARCHAR(100) NOT NULL
layer_source_id	INTEGER
summary	TEXT NOT NULL
homepage	VARCHAR(200) NOT NULL
up_date	DATETIME
version	VARCHAR(100) NOT NULL
id	INTEGER
up_id	INTEGER
file_path	VARCHAR(255) NOT NULL
layer_version_id	INTEGER NOT NULL
name	VARCHAR(100) NOT NULL

## Proposals:

- Create mechanism for the build and layer index to update layer info right down the chain if it has newer info
- Conflate redundant fields (branch, commit) to single "revision" field
- Rename up\_branch to "release" as this is "dizzy, master... etc"
- Remove priority, up\_id and layer\_source\_id (data will always be the most recent rather than choosing a priority, up\_id was used for the Layer Index entries which can't actually be referenced by id, layer\_source is not needed as it's implementation detail)



# Server side - Django



## Proposals:


- Consolidate and make consistent (async) APIs
- Create QuerySet managers for common Queries
- Create common context classes such as ToasterTable to provide standard reusable objects/ widgets
- Move as much as possible out of the views. e.g. Create a utility class and move utils out of views

# Client Side



## Proposal:

- Enforce js separation
- Drop Angular
- Create distinct templates which are /widgets
- Move all common functions to libtoaster including all onLoad bindings
- Move towards doing more functionality on the client side, e.g. table search, pagination.
- Use layer index api to return information rather than linking to it



# Misc

## Proposals

- Document a coding style guide for Django Templates, JavaScript, Python (bitbake's?) and HTML
- Make sure unit tests are written where appropriate
- Make use of Jshint and other code checking tools